

GZM



Main Features

- ★ ***EXTREME SPEED*** up to 248m²/h!
- ★ ***Revolutionary cleanable print heads.***
- ★ ***Reliable Negative Pressure System.***
- ★ ***Enhanced drying system.***
- ★ ***Multiple rolls feeding system.***
- ★ ***Optional auxiliary taking up unit.***




StarFire 1024 print heads
Revolutionary cleanable print heads with integrated ink loop unit and changeable nozzle plate.



Negative pressure system with dual SMC indicators and two groups of ink buffers, ensures smooth and stable ink supply.



CNC aluminum beam and dual linear guide enable high speed printing and long service life.



Self-developed thermal drying system can dry the printing more efficiently with lower power consumption.



Optional auxiliary taking up unit is capable to collect a roll of printing with maximum 420 mm in diameter.



Advanced feeding system supports up to three rolls of media. Adjustable pressure bar is suitable for various types of media.

ITEM	SPECIFICATION	
Model	GZM3202SG	GZM3204SG
Print Head	2 Dimatix Starfire 1024	4 Dimatix Starfire 1024
Ink	C.M.Y.K solvent ink/ eco solvent ink	
Ink supply system	Negative pressure system with ink recycle system.	
Media Type	Banner, PP, Vinyl, Film.....	
Feeding system	Multiple rolls feeding system	
Drying system	Pre, mid, post, extended heater and self-developed thermal drying system	
Printing Speed	Production: 124m ² /h Standard: 89m ² /h Quality: 69m ² /h	Production: 248m ² /h Standard: 178m ² /h Quality: 138m ² /h
Data Interface	USB2.0	
Working Environment	Temp.23°C~29°C, Humidity:50%~80%	
Software	Photoprint10.0/Maintop.....+GZ control console	
Power	50Hz/AC,220V±10% 15A(printer)+15Ax2(thermal drying system)	
Dimension	LxWxH(mm): 4800x1000x1500	

Specifications are liable to change without prior notice. All trademarks mentioned are property of their respective owners.